PRINTED: 03/17/2014 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
			B. WING		С
012007					03/13/2014
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE					
RIVER CROSSING ASSISTED LIVING 2400 MARKET ST CHARLESTOWN, IN 47111					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE COMPLETE
R 000	000 INITIAL COMMENTS		R 000		
	This visit was for the Investigation of Complaint #IN00145319.				
	Complaint #IN00145319-Substantiated. No deficiencies related to the allegations are cited. Survey dates: March 12 and 13, 2014 Facility Number: 012007				
	Survey Team: Caitlin Lewis,RN-TC Gloria Reisert, MSW				
	Census Bed Type: Residential: 101 Total:101				
	Census Payor Type: Medicaid: 85 Other:16 Total:101				
	Sample: 6				
		ed Living was found to be in IAC 16.2 in regard to the IN00145319.			
	Quality Review 03/14	I/14 by Lisa McColly			

Indiana State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE